

# APU Maintenance platform, 7m platform height, 4T payload



### **Specifications:**

- Basic vehicle: Mercedes-Benz Atego 1518 wheelbase 4760 with PTO, Renault D 14T emp 4700 with PTO, or basic vehicle to customers choice
- Minimum platform floor height: 1 metre 85
  Maximum platform floor height: 7 metre 00
- Platform dimensions: 2 metre 50 x 5 metre 50
- Payload: 4 000 kg
  Vehicle width: 2 metre 60
  Vehicle length: 8 metre 70
- Hydraulic system with Rexroth components
- Electric and manual emergency pumps
- 4 stabilizers with synchronised movement
- Lowering rear end railings for APU repair- and maintenance-works
- Platform lightning by 4 adjustable lights



Convertible transformations and repairs - Special vehicle transformations

Loading and unloading devices - Ground support equipment

- The whole construction is painted in aero paint in order to get skydrol resistance
- Fixed entry stair at the front
- Starting and stopping of the engine via the switch box on the platform
- CE approved
- 2 year warranty on parts

#### **Platform side extension:**



## **Options**

- Hydraulic compressor
- 220 Volts inverter of 2500 Watt
- Construction to customer specification
- Forward moving Platform on top of cab if raised above cab height
- Optionally platform hydraulic side extension (wider platform RHS or LHS)
- Other options at customer demand
- 220 Volt supply to the platform with 220 Volt receiver plug at the bottom



# DESIGN . ENGINEERING . PRODUCTION

Convertible transformations and repairs • Special vehicle transformations Loading and unloading devices • Ground support equipment









ACT RESEARCH N.V. - LEUVENSESTEENWEG 456 - 3071 KORTENBERG - BELGIUM TEL. (32-2) 757 01 02 - FAX (32-2) 757 06 38 - E-MAIL : ACT@be.packardbell.org - HRL 89553 BTW/TVA BE 453 626 834 - GBM 230-0036471-19 - KB 433-7031001-78